



HV & UHV Vacuum Products Catalogue

- ▶ COMPONENTS
- ▶ CONSUMABLES
- ▶ VALVES
- ▶ PUMPS
- ▶ GAUGES
- ▶ MANIPULATION

- ▶ MASS FLOW
- ▶ FEEDTHROUGHS
- ▶ CHAMBERS
- ▶ ASSEMBLIES
- ▶ MATERIALS
- ▶ SYSTEMS

ISO Flanges and Components

- O-Rings



ISO O-Rings

Page


C30

O-Rings. Viton. Nitrile. Silicone

CONTENTS



ISO O-Rings | VITON



- Temperature range: -15 to 150°C

NW	A dim	B dim	Part Code
ISO63	76.0	5.3	ISO63OV
ISO80	88.0	5.3	ISO80OV
ISO100	107.0	5.3	ISO100OV
ISO160	158.0	5.3	ISO160OV
ISO200	209.0	5.3	ISO200OV
ISO250	253.0	5.3	ISO250OV
ISO320	317.0	7.0	ISO320OV
ISO400	405.0	7.0	ISO400OV
ISO500	507.0	7.0	ISO500OV
ISO630	659.0	7.0	ISO630OV

all dimensions are measured in millimetres (mm) unless otherwise stated

ISO O-Rings | NITRILE

- Temperature range: -20 to 120°C

NW	A dim	B dim	Part Code
ISO63	76.0	5.3	ISO63ON
ISO80	88.0	5.3	ISO80ON
ISO100	107.0	5.3	ISO100ON
ISO160	158.0	5.3	ISO160ON
ISO200	209.0	5.3	ISO200ON
ISO250	253.0	5.3	ISO250ON
ISO320	317.0	7.0	ISO320ON
ISO400	405.0	7.0	ISO400ON
ISO500	507.0	7.0	ISO500ON
ISO630	659.0	7.0	ISO630ON

all dimensions are measured in millimetres (mm) unless otherwise stated

ISO O-Rings | SILICONE

- Temperature range: -55 to 200°C

NW	A dim	B dim	Part Code
ISO63	76.0	5.3	ISO63OS
ISO80	88.0	5.3	ISO80OS
ISO100	107.0	5.3	ISO100OS
ISO160	158.0	5.3	ISO160OS
ISO200	209.0	5.3	ISO200OS
ISO250	253.0	5.3	ISO250OS

all dimensions are measured in millimetres (mm) unless otherwise stated



Contact us...



k-tech supplies ltd
wild thyme
udimore road
broadland row
broad oak
rye
east sussex
tn31 6bx
united kingdom

web : www.ktechsupplies.co.uk
email : enquiries@ktechsupplies.co.uk
tel : +44 (0)1424 400 235
fax : +44 (0)7006 044 223