



HV & UHV Vacuum Products Catalogue

- ▶ COMPONENTS
- ▶ CONSUMABLES
- ▶ VALVES
- ▶ PUMPS
- ▶ GAUGES
- ▶ MANIPULATION

- ▶ MASS FLOW
- ▶ FEEDTHROUGHS
- ▶ CHAMBERS
- ▶ ASSEMBLIES
- ▶ MATERIALS
- ▶ SYSTEMS

KF Flanges and Components

- O-Rings



KF O-Rings


Page

B38 O-Rings. Viton. Nitrile. Silicone. EPDM

CONTENTS



KF O-Rings | VITON/NITRILE/SILICONE/EPDM



- For use with KF Centering Rings. Al orSS Inners
- Temperature range: VITON: -15 to 150°C
- Temperature range: NITRILE: -25 to 120°C
- Temperature range: SILICONE: -55 to 200°C
- Temperature range: EPDM: -50 to 130°C

NW	Material	A dimension	B dimension	Part Code
KF10	VITON	15	5	KF10OV
KF16	VITON	18	5	KF16OV
KF25	VITON	28	5	KF25OV
KF40	VITON	42	5	KF40OV
KF50	VITON	53.3	5.3	KF50OV
KF10	NITRILE	15	5	KF10ON
KF16	NITRILE	18	5	KF16ON
KF25	NITRILE	28	5	KF25ON
KF40	NITRILE	42	5	KF40ON
KF50	NITRILE	53.3	5.3	KF50ON
KF10	SILICONE	15	5	KF10OS
KF16	SILICONE	18	5	KF16OS
KF25	SILICONE	28	5	KF25OS
KF40	SILICONE	42	5	KF40OS
KF50	SILICONE	53.3	5.3	KF50OS
KF10	EPDM	15	5	KF10OE
KF16	EPDM	18	5	KF16OE
KF25	EPDM	28	5	KF25OE
KF40	EPDM	42	5	KF40OE
KF50	EPDM	53.3	5.3	KF50OE

all dimensions are measured in millimetres (mm) unless otherwise stated



Contact us...



k-tech supplies ltd
wild thyme
udimore road
broadland row
broad oak
rye
east sussex
tn31 6bx
united kingdom

web : www.ktechsupplies.co.uk
email : enquiries@ktechsupplies.co.uk
tel : +44 (0)1424 400 235
fax : +44 (0)7006 044 223